






7 OBSOLETE


4805 (3/11)

LOC	DIST	REVISIONS				
		REV	DATE	BY	APP'D	DESCRIPTION
AA	00	—	—	—	—	SEE SHEET 1



PART 1489930-7

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AWF/L.A.MAYER	01APR2008	 TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK A.W.FRANTUM	01APR2008				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APP'D S.FLICKINGER	01APR2008	NAME	CONNECTOR ASSEMBLY HIGH CURRENT CARD EDGE DUAL POSITION, 2.54 [.100] CENTERLINE		



30 SPACES @ 2.54[.100] = 76.20[3.000]

$\phi 1.02 \pm 0.08$
 $[\phi .040 \pm .003]$ TYP
 $\phi \phi .015[.006] \text{ X Y}$

PIN 1

PIN 62

PIN OMITTED (SEE TABLE FOR LOCATION)

PIN 31

PIN 32


4.85
 $[\text{.191}]$

BSC 4

4
 $-Y-$

4
 $-X-$

BSC 4

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN A.W.F./L.A.MAYER		01APR2008		 TE Connectivity				
		DWG A.W.FRANTUM		01APR2008						
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD S.FLICKINGER		NAME				
		0 PLC ± -		PRODUCT SPEC		CONNECTOR ASSEMBLY HIGH CURRENT CARD EDGE DUAL POSITION, 2.54 [100] CENTERLINE				
		1 PLC ± -		APPLICATION SPEC						
		2 PLC ± -		SIZE				CAGE CODE	DRAWING NO	RESTRICTED TO
		3 PLC ± .13 [.005]		WEIGHT				A1 00779		
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2		CUSTOMER DRAWING		SCALE 5:1				
						SHEET 3 OF 3				
						REV N2				